

ALEXIA GEN2

Do undermounts with ease



The ALEXIA automates the cutting, drilling and polishing of sink cutouts and is the ultimate answer to affordable stone processing without compromising on quality. The machine has automatic tool changing with 23 stations.

The Best feature of the ALEXIA is its user-friendly interface, the Software has been designed for MS Windows and is intuitive and simple to use. It is pre-loaded with common sink templates listed by brands including Oliveri, Franke, Clark and Blanco. Further other sinks sizes and shapes can be easily created using the parametric section extending the machine's cutting capabilities.

The ALEXIA has the ability to connect directly to the internet which allows our office to log into your machine and help you with further training and troubleshooting. Another key feature is its small footprint taking up minimal area in the workshop.


Inclined drain grooves can be cut either onto the bench top or incorporated into the polished flat drain board. The width of the grooves are dictated by the tooling selected. The length is inputted on 'grooving' selections and is in relation to and in proportion with, the centre of the sink cut out.

In addition to this the Alexia can also perform edge profile work (eg. Lambstongue, bullnose etc.) subject to tools selected. These can be supplied at additional cost to standard tooling provided.

The Team at Farnese Australia understands that buying stone machinery is an important decision, one that can be extremely costly when breakdowns occur and equipment doesn't run to its capability. That's why we provide our customers with unparalleled service and support for all our machines throughout Australia and New Zealand. From on-site installation and training to after-sales telephone and in-person support and repairs, our professional sale and service team will keep your valuable asset running.

ALEXIA GEN2

Do undermounts with ease



DIMENSIONS OF INSTALLED MACHINE

WIDTH	4200 mm	165.4 in
DEPTH	2200 mm	86.6 in
HEIGHT	2300 mm	90.6 in
WEIGHT	2500 kg	5500.0 lb

TECHNICAL SPECIFICATIONS

*MAX SIZE OF SLAB

WIDTH	4000 mm	157.5 in
DEPTH	1700 mm	66.9 in

FEATURES & FEEDS

CUTTING WIDTH (LONG TRAVEL STROKE)	1100 mm	43.3 in
CUTTING DEPTH (CROSS TRAVEL STROKE)	3000 mm	118.1 in
CUTTING HEIGHT (HEAD UP AND DOWN)	200 mm	7.9 in
AIR PRESSURE (WORKING)	7 bar	102 psi
AIR PRESSURE (CONSUMPTION)	350 litres/min	
WATER (CONSUMPTION)	6.5 litres/min	(clear)
	50 litres/min	(recycled)
MAGAZINE	YES	23 Pos
VACUUM CUPS	YES	
VACUUM GENERATOR	YES	
BACK CLAMPS	YES	
FRONT CLAMPS	NO	
AUTOMATIC GREASING	YES	
LASER CUTTING GUIDE	YES	
MICROSOFT WINDOWS COMPATIBLE	YES	
AUTOMATIC TOOL CHANGER	YES	
HANDWHEEL	YES	
MAIN SPINDLE POWER	6.6 kW	8.8 hp
MAIN SPINDLE SPEED (MIN & MAX)	500 rpm	12000 rpm
POWER REQUIRED	20A, 400V, 3 phases + Neutral	


*CONNECTIONS REQUIRED (SUPPLIED BY CUSTOMER)

POWER, WATER, COMPRESSED AIR.

*TOOLING

CONSULT YOUR LOCAL FARNESE DEALER FOR ANY TOOLING REQUIRED.

STANDARD PROFILES: Z, ZS, A ARE SUPPLIED WITH THE EQUIPMENT.



Owing to the constant updating of our designs, descriptions and technical data shown in our drawings and folders are not binding. Possible alterations deemed by the makers as convenient will be effected at any time without previous notice.

www.farnese.com.au