


# DUST BOOTH

A solution for dry grinding





The DUST BOOTH is an extendable working cabin able to create a clean air flow.

It is equipped with five filters, two fans and an electrical panel within a 6m<sup>2</sup> (64 ft<sup>2</sup>) area and can extend to 11m<sup>2</sup> (688 ft<sup>2</sup>) to produce a clear air flow without dust and promote a safer work environment for your stone mason.

The shakers supplied with the dust booth, removes the main layer of dust from the filters which means that it can be turned, cleaned and replaced.

# DUST BOOTH

A solution for dry grinding



## TECHNICAL SPECIFICATIONS

### DIMENSIONS OF INSTALLED EQUIPMENT

WIDTH	2800 mm	110.2 in
DEPTH	4900 mm	192.9 in
HEIGHT	2600 mm	102.4 in
WEIGHT	400 kg	880.0 lb

### DIMENSIONS OF WORKING AREA (OPEN)

WIDTH	2680 mm	105.5 in
DEPTH	4100 mm	161.4 in
HEIGHT	2000 mm	78.7 in

### DIMENSIONS OF WORKING AREA (CLOSE)

WIDTH	2680 mm	105.5 in
DEPTH	2180 mm	85.8 in
HEIGHT	2000 mm	78.7 in

### FEATURES & FEEDS

LIGHTING	YES	2 Pos
POWER POINTS	YES	2 Pos
DUST FILTERS (MESH 5 $\mu$ m)	YES	5 Pos
EXHAUSTERS (VOLUME)	10.000 m <sup>3</sup> /h	2 Pos
EXHAUSTERS (NOISE)	≤ 86db	
POWER REQUIRED	15A 415V, 3 phases + Neutral 25A, 208V, 3 phases + Neutral	

\*CONNECTIONS REQUIRED (SUPPLIED BY CUSTOMER)

POWER. WATER. COMPRESSED AIR.



Owing to the constant updating of our designs, descriptions and technical data shown in our drawings and folders are not binding. Possible alterations deemed by the makers as convenient will be effected at any time without previous notice.

[www.farnese.com.au](http://www.farnese.com.au)