
FUSION PLUS ATC 28/13SR CNC ROUTER





DESIGN FEATURES

GANTRY STYLE MACHINING CENTER FOR PROCESSING SOLID WOOD MDF/PARTICLE BOARD PLASTICS ALUMINUM AND COMPOSITE MATERIALS

HIGH PERFORMANCE HSD SPINDLE AND DRILLING HEAD

SERVO ROTARY TOOL CHANGER

HEAVY DUTY SOLID STEEL MACHINE FRAME CONSTRUCTION

TWO VACUUM PUMPS

TABLE SWEEPER/PUSHER


OPTIONS

AUTOMATIC STICKER APPLICATOR

AUTOMATIC MATERIAL LOADING

FUSION PLUS ATC 28/13SR CNC ROUTER






SPINDLE/DRILLING HEAD

High precision heavy-duty 9kW (12.0Hp) HSD router with internal cooling fan and ISO30 collet.

HSD 9 position Drilling head. Manufactured in Italy





SERVO ROTARY TOOL CHANGER

12 Position Rotary tool changer


PC CONTROL

On-board PC with user friendly Windows 11 operating system. Network interface facility for file sharing. File format for the controller software configured in* .NC.

OPTION 1

AUTO LOADER


The loader Vacuum cups mounted to the CNC bridge loads the board onto the CNC. The hydraulic table lifts the board to the correct height for the CNC





OPTION 2 AUTO LABELING

The label unit applies the part stickers using a honneywell laser printer.





OPTION 3 PUSHER/ SWEEPER BELT OFF FEED TABLE

The Pusher Arm pushes the processed parts onto the belt table at the same time as vacuuming the table.


The off feed table allows the machine to continue cutting the next board as you unload the previous sheet



FUSION PLUS ATC 28/13SR CNC ROUTER

TECHNICAL SPECIFICATIONS

STROKE	X - Axis	1300 mm
	Y – Axis	3200 mm
	Z – Axis	200 mm
TABLE SIZE		2800x1220 mm
MAX. FEED SPEED	X,Y - Axis	58m /min
	Z – Axis	5m /min
SPINDLE HEAD	HSD ES951 IS030	12 tools, 24,000rpm Max
	HSD Drilling head	9 drill position
TOOL SHANK DIA	For Router Bit	25 mm Max
MOTOR POWER	AT Head	9kw (12 HP)
	Vacuum Pump 320bm/hr	5.5 kw (7.5hp) x 2
NC CONTROLLER		Osia CNC
DIMENSIONS	Floor Area	10.8x3 m
	Height	1850 mm
	Weight	3500 kg
TOTAL CONNECTED LOAD		15 kw / 28amp





68 Montgomery Crescent, PO Box 40-809, Upper Hutt, New Zealand **PH** +64 4 526 8589 • **EM** info@farnese.co.nz